

FIAT BRAVA



FIAT



THE ELEGANCE OF HARMONY.

Fleeting surfaces, soft volumes, clean lines: the styling of the Fiat Brava is the result of painstaking aerodynamic tests.

Look at the profile, with its

sloping windscreen, minimal rear overhang and compact third box.

Follow the





arched line of the roof, which hints at the class-topping roominess inside. The rear pillar flows harmoniously into the rear window which is flush with the body. The forward-thrusting front and wide wheelarches, with flush wheels, convey the dynamic, confident character of a saloon

THE FIAT BRAVA RANGE

1.4 12v	(80 bhp, 170 km/h)				
1.6 16v	(103 bhp, 180 km/h)				
1.8 16v	(113 bhp, 190 km/h)				
1.9 D	(65 bhp, 155 km/h)				
		S	SX	EL	ELX
1.4 12v		*	*		
1.6 16v				*	*
1.8 16v					*
1.9 D		*	*		

that is anchored to the road. The wrapround tailgate blends into the rear wings. The gem-shaped, faired rear light clusters are immersed protectively in the bodywork.

The third brake light elegantly closes the rear end.

SAFETY STARTS WITH COMFORT.

Make yourselves comfortable. The Fiat Brava welcomes you to its spacious, light-filled cabin, furnished and arranged to respect the latest ergonomic criteria.

The attractive wave-shaped fascia has no jutting edges and is moulded smoothly and naturally, perfectly reflecting the car's external styling; it wraps you in soft, protective volumes, and the lower edge is carved out on the passenger side to provide maximum leg room.

The driving position has a height-adjustable seat and steering wheel as standard, with infinite combinations to allow all drivers

to find an ideal position. The anatomically shaped seats have an energy-absorbing stiffened squab, and an internal anti-submerging crossbar to prevent the occupant slipping forward in the event of a collision.

Standard equipment includes an exclusive radio and cassette player incorporated in the fascia, positioned centrally where it can also be reached by the passenger (it cannot be used on other cars so it is pointless to steal it).

Soundproofing is excellent: at 120 km/h interior noise is only 73 decibels.

The smart elite wheel trims designed specifically for the Brava 1.6 EL.

The foglights built protectively into the bumpers on the Brava ELX.

Electric mirror controls on the Brava ELX tunnel.

14" wheel rims with 185/60 R14 tyres on the Brava ELX.

The central console with built-in radio and climate unit controls.

The optional "High" and standard "Basic" radios.



1.4	1.6
12v	16v
1.8	1.9
16v	D

of uses, and emission control in all driving conditions.

The range-topping 1800 16v provides maximum performance and outstanding comfort. To reduce vibrations to a bare minimum, it adopts a crankshaft with 8 counterweights and a torsional damper.


The single coils and phased sequential injection are an additional hi-tech refinement that generate superb efficiency.

The sturdy, reliable 1900 diesel engine is a balanced synthesis of performance and low running costs: it consumes just 4.9 litres for 100 km at 90 km/h.

The mechanical components of the Fiat Brava were designed to ensure outstanding driveability and dynamic safety.

Independent wheel suspension. Twin crossover braking circuit with brake servo and brake regulator (ABS on request on all versions).

Rack and pinion steer-



ing and power steering standard on all versions excluding the 1.4 S where it is optional.

The height-adjustable steering-wheel and driving seat.

Manual climate control unit with optional pollen filter.

The rear seat squab reinforced with an anti-intrusion beam.

Split rear seat with three anatomical head-restraints built into the squab on the Brava ELX.





The powerful climate control unit provides uniform distribution of air flows, even to the rear seats.

Air recirculation and a bi-level function (warmer air from the lower vents and cooler air from the upper vents) are both standard; climate control com-

plete with a pollen filter is an option.

The rear seat squab folds down to exploit the functionality of the 5-door layout in full.

TECHNOLOGY: THE NEW GENERATION.

The engines of the Fiat Brava are a synthesis of top performance, low consumption, relia-



bility and easy maintenance. All the petrol engines fit aluminium alloy multi-valve cylinder heads, hydraulic tappets and automatic belt tensioners.

The new engines belong to the latest generation of Fiat engines, the fruit of sophisticated computer science, ex-

tending from the first stages of CAE (Computer Aided Engineering) design to final quality control.

The 1400 12v is the smallest in the family: it has a 3-valve-per-cylinder head (two for induction, one for exhaust) and ensures high performance and low

fuel consumption (just 7 litres for 100 km at 120 km/h).

The 1600 16v has a 4-valve-per-cylinder head and twin overhead camshafts. The Multi-point Weber-Marelli combined electronic management system with static ignition guarantees a generous torque in a wide range

TECHNICAL SPECIFICATION AND EQUIPMENT

FIAT BRAVA	1.4 S - SX	1.6 EL - ELX	1.8 ELX	1.9 D S - SX
ENGINE				
Nos. of cylinders, arrangement	4 in line, front transverse			
Capacity (cc)	1370	1591	1747	1929
Compression ratio	9.85 : 1	10.15 : 1	10.3 : 1	21 : 1
Max. power output: Hp-EC at rpm	80 (59)	101 (76)	113 (83)	65 (48)
Peak torque: kgm-EC at rpm	11.4 (112)	14.7 (144)	15.7 (154)	12.1 (119)
2750	4000	4400	2000	
TRANSMISSION				
Drive:	front			
Gearbox:	5 speeds			
STEERING				
System	rack and pinion (S) with power steering (SX)	rack and pinion with power steering	rack and pinion with power steering	rack and pinion with power steering
Turning circle (m)	10.4	10.4	10.4	10.4
BRAKES - D (disc) - T (drum)				
Front: Ø mm	D 257	D 257	D 257 ventilated	D 257
Rear: Ø mm	T 180 (T 203 with ABS)	T 203	T 203	T 180 (T 203 with ABS)
SUSPENSION				
Front	independent wheel MacPherson struts, with transverse lower wishbones anchored to an auxiliary cross member, anti-roll bar			
Rear	independent wheel, with longitudinal trailing arms anchored to an auxiliary cross member, anti-roll bar			
DIMENSIONS				
Length/Wheel height* (m)	4.19/1.74/1.41			
Luggage capacity VDA (dm ³)	380 - 1165			
WHEELS				
Tires	165/65 R 14 (S) 175/65 R 14 (SX)	175/65 R 14 (EL) 185/60 R 14 (ELX)	185/60 R 14	175/65 R 14
ELECTRICAL EQUIPMENT 12V				
Battery capacity (Ah)	40	50	50	60
Alternator: max. current (A)	65	75	75	65
WEIGHTS - SUPPLIES				
Kerb weight				
DIN (kg)	1040	1090	1130	1130
Fuel tank (litres)	50	50	60	60
PERFORMANCE				
Top speed (km/h)	170	180	190	155
Acceleration (secs.):				
0 to 100 km/h	13.9	11.5	10.3	17.8
0 to 200 km/h (2 adults + 20 kg)				
0 to 1000 m	35.3	32.4	32	38.4
FUEL CONSUMPTION (l/100 km)				
at 90 km/h	5.3	5.6	5.9	4.9
at 120 km/h	7.0	7.5	7.6	6.9
urban cycle	9.2	9.5	9.9	6.6

* Unladen

	S	SX	EL	ELX
FTS fire prevention system				
Pre-tensioned height-adjustable front seat-belts				
Third brake light				
Twin door mirrors				
Fiat CODE				
Air recirculation and exclusion of outside air				
Height-adjustable driver's seat				
Height-adjustable steering wheel				
Athletic glass				
Tailgate release from driver's seat				
Double parabola headlights				
"Basic" radio (2 x 10W)				
"High" radio (4 x 50W), 6 speakers + CD player				
Power steering	•	•	•	•
Body-coloured bumpers	•	•	•	•
Conform package: central door locking + electric front windows	•	•	•	•
Key counter		•	•	•
Driver's seat with adjustable lumbar support				
Check (doors opening) lights				
Driver's side electric window with pulse mechanism				
Elite wheel trim				
Alloy wheels				
Visibility package: heated electric body-coloured door mirrors + foglights		•	•	•
Headlight beam adjustment				
Practicality package: split rear seat + rear head-restraints	•	•	•	•
ABS	•	•	•	•
Driver's airbag	•	•	•	•
Passenger airbag	•	•	•	•
Metallic paint	•	•	•	•
Manual climate control with pollen filter	•	•	•	•
Alarm package: electronic anti-theft device and door release remote control	•	•	•	•
Electric sunroof	•	•	•	•
Cold climate package: foglights, heated electric mirrors, headlight washers + heated front seats		•	•	••
Upholstery with parts in leather and split rear seat + rear head-restraints			•	•
Electric rear windows				•
• With 125/65 tires on 14 S				
▲ Only headlight washers and heated front seats				

■ = standard • = optional - - = not available

Trim levels and options may vary in response to specific legal or market requirements. The information in this brochure is purely indicative. Fiat reserves the right to make any changes to the models described in this brochure at any time for technical or market reasons.

Fiat Auto - Pubblicità e Immagine - Edizione n. 02-27547-06 - A - 8/95 - Printed in Italy
Officine Grafiche Calderini - Bologna