

2016



GMC WE ARE PROFESSIONAL GRADE

COMMERCIAL



C O N T E N T S

CANYON | 4

SIERRA 1500 | 6

SIERRA HD | 16

SAVANA | 28

YUKON | 36

ACADIA | 38

TERRAIN | 40

ALTERNATIVE FUELS | 45

ACCESSORIES &
BUSINESS CHOICE | 46





COMMERCIAL

At GMC, we are Professional Grade. That means engineering, designing and building vehicles professionals demand. Our vehicles have constantly exceeded expectations. Our latest achievements can be found in the 2016 Sierra 1500 and HD. You'll find that an 8-speed automatic transmission is now offered with the 5.3L V8 for enhanced efficiency. And, in both Sierra 1500 and HD, we continue to offer refined interiors, technologies, cargo box innovations and proven powertrains.

Canyon will offer an all-new Duramax 2.8L Turbo Diesel designed to deliver capability, efficiency and durability.

These new vehicle offerings, like our entire lineup, prove that anything worth doing is worth doing well.



SIERRA 3500HD CREW CAB SLE
IN QUICKSILVER METALLIC
(LEFT)

CANYON CREW CAB SLE IN
BRONZE ALLOY METALLIC
(CENTRE)

SIERRA 1500 CREW CAB SLE
IN QUICKSILVER METALLIC
(RIGHT)

All vehicles shown with available equipment.



YOUR JOBS COME IN MANY SIZES. SO DO OUR TRUCKS.

CANYON

MEET YOUR NEW EFFICIENCY EXPERT.

It's all about working smarter. And doing it all without sacrificing power for efficiency and capability for versatility. That's why we've engineered the Canyon to be one smart-sized package. It's efficient in its use of space, highly durable with a quiet, comfortable cabin and capable with robust payload and max trailering. Like the legendary Duramax V8, Canyon's all-new available Duramax 2.8L I-4 Turbo Diesel engine delivers efficiency, durability and the strength to trailer up to 3493 kg.¹ So now when it comes to moving Canyon from one project to another, all three engine options boast efficiency without sacrificing power, torque or a smooth ride.

A DURAMAX 2.8L I-4 TURBO DIESEL The Duramax 2.8L I-4 Turbo Diesel packs the power—an estimated 181 horsepower at 3400 rpm and 369 lb.-ft. of torque at 2000 rpm—to tackle the toughest terrain. The Duramax 2.8L is a four-cylinder turbo diesel designed to deliver capability, durability and efficiency. It features a variable-geometry turbocharger for optimal power and efficiency across the rpm band and a balance shaft for greater smoothness. The engine is mated to a 6-speed automatic transmission.

B SPACIOUS CABIN Canyon sets a standard in truck cabins—especially ones this size. You'll find supportive, comfortable dual-firmness foam seats, generous Crew Cab rear-seat leg room, power four-way driver's seat and available automatic climate controls.

C BOX DELETE This option allows business owners and fleet managers to customize the back of the 2016 Canyon. The Box Delete Package—RPO order code ZW9—is available on Canyon Work Truck Extended Cab models with the 305-hp 3.6L V6 engine and 6-speed automatic transmission. Additional highlights: 998 kg payload rating,² 2676 kg Gross Vehicle Weight Rating,³ Z82 Trailing Package and eight body mount provisions.

¹Canyon's 3493 kg rating requires Crew Cab 4x2 model, Duramax 2.8L I-4 engine and available Trailing Package. Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ²These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's doorjamb. ³When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ⁴Vehicle user interface is a product of Apple® and Apple's® terms and privacy statements apply. Requires compatible smartphone. Data plan rates apply. ⁵Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required.



A



B



C

NEW FOR 2016 IS SUPPORT
FOR APPLE CARPLAY.^{TM4}
IT'S A SMART WAY
TO USE YOUR IPHONE®
INSIDE YOUR CANYON
(AVAILABLE).

NEW DURAMAX
2.8L I-4 TURBO DIESEL
(AVAILABLE)

ONSTAR 4G LTE WITH
BUILT-IN WI-FI® HOTSPOT⁵
(AVAILABLE)

FORWARD COLLISION
ALERT AND LANE
DEPARTURE WARNING KEEP
YOU AWARE (AVAILABLE)

IMPRESSIVE PAYLOAD AND
AMPLE CARGO BOX SIZE



CANYON CREW CAB SLE IN CYBER GREY METALLIC
shown with available equipment.

PROFESSIONAL GRADE DELIVERS A NEW STANDARD IN ACHIEVEMENT.

The 2016 Sierra 1500 is engineered to help your entire crew work smarter. Inside, it's accommodating, technically advanced and highly supportive. On the road, choose from three engines with the latest technologies that produce work-minimizing power and profit-maximizing fuel efficiency. The cargo box lends a well-deserved helping hand so your crew can haul more and do more. All together, this makes Sierra the truck your business demands.

COMFORTABLY SUPPORTIVE INTERIOR • Quiet full-size pickup • Lasting comfort seats • Generous storage options • Technology to keep you connected, informed and entertained • Rear doors and seats make getting into the Crew Cab and Double Cab easy

POWERFULLY EFFICIENT ECOTEC3 ENGINES • Our latest technologies: Direct Injection (DI), Active Fuel Management and continuously Variable Valve Timing (VVT) • Deceleration Fuel Cutoff • Jet-Spray Piston Cooling • 5.3L V8 and available 6.2L V8 mated to a Hydra-Matic 8-speed automatic on SLT and Denali

INTELLIGENT CARGO MANAGEMENT • 6' 6" Crew Cab cargo box (Available) • Max payload of up to 1025 kg¹ • New Remote Power Locking Tailgate (Available) • EZ-Lift and Lower Tailgate (Available) • Under-rail box lights (Available) • Movable upper box tie-down hooks • CornerStep rear bumper

DRIVER TECHNOLOGIES • 203 mm diagonal Colour Touch Audio System with IntelliLink² (Available) • OnStar 4G LTE with Wi-Fi hotspot³ (Available) • Forward Collision Alert and Lane Keep Assist (Available) • Safety Alert Driver Seat (Available) • Hands-free voice-activated Navigation System⁴ (Available) • Bluetooth^{®5} steering-wheel-mounted controls (Available) • Rear Vision Camera (Available)

¹These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ²Full functionality requires compatible Bluetooth[®] and smartphone, and USB connectivity for some devices. Visit intellilink.gmc.gm.ca for more details. ³Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required. ⁴At time of printing, detailed map coverage is available for most major urban areas of the United States and for certain metropolitan areas of Canada (Vancouver, Calgary, Edmonton, Winnipeg, Windsor, London, Toronto, Ottawa, Montreal, Quebec City and Halifax). Coverage is significantly limited outside these areas. ⁵Not compatible with all devices. ⁶Requires 6.2L EcoTec V8 and Max Trailing Package. Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

QUIET FULL-SIZE PICKUP CABIN

MAXIMUM TRAILER WEIGHT RATING OF UP TO 5443 KG⁶

MAXIMUM PAYLOAD OF UP TO 1025 KG¹

CORROSION-RESISTANT DURALIFE BRAKE ROTORS CAN HELP DOUBLE ROTOR LIFE

DRIVER ALERT PACKAGE (AVAILABLE)

NEW LANE KEEP ASSIST AND INTELLIBEAM (AVAILABLE)



SIERRA 1500 CREW CAB SLE IN CRIMSON RED TINTCOAT
shown with available equipment.



NEW POWER LOCKING
TAILGATE WITH REMOTE
KEYLESS ENTRY (AVAILABLE)

SPRAY-IN BEDLINER WITH
GMC LOGO (AVAILABLE)

MOVABLE UPPER TIE-DOWN
HOOKS AND AVAILABLE
UNDER-RAIL BOX LIGHTS

CORNERSTEP REAR BUMPER

SIERRA 1500 CREW CAB SLE IN QUICKSILVER METALLIC
shown with available equipment.

A TRUCK SMART ENOUGH TO MANAGE YOUR CARGO FOR YOU.

You already work hard. The 2016 Sierra 1500 helps you work smarter by solving cargo challenges. The available 6'6" cargo box on Crew Cab models gives you a choice of hauling options. And getting to the cargo box is easy with the EZ-Lift and Lower Tailgate, standard on most models.

A MOVABLE TIE-DOWN HOOKS Four repositionable load-bearing upper tie-down hooks are standard and rated at 113 kg each.¹

B SPRAY-IN BEDLINER To provide a permanent, nonskid surface, the available black liner covers the entire bed below the side rails, including the tailgate, front box top rail and lower tie-down hooks.

C CORNERSTEP REAR BUMPER Integrated into the corners, the steps make it easy to access the cargo box. The deep tread of the step is designed to accommodate large steel-toed boots.



A



B



C

¹Cargo and load capacity limited by weight and distribution.

A QUIET PLACE TO WORK.

Since Sierra also doubles as your mobile office, our engineers achieved new standards for how quiet its interior could be. Hold meetings in solitude thanks to slick exterior aerodynamics, triple door seals, sound-absorbing materials and reduced engine noise. And since most work sites can be rough, new highly supportive seats help reduce fatigue, while durable materials minimize wear and tear over time.

A DURABLE MATERIALS You're surrounded by attractive, durable materials. On select models, the instrument panel features a soft-touch feel, real aluminum trim, contrasting stitching and an overall finished appearance. Purposeful design means door trim panels that are reinforced to stand up to everyday wear and tear.

B GENEROUS STORAGE We designed Sierra to help maximize space with a cavernous centre console storage bin. You'll also appreciate the convenience of easy "grab and go" storage pockets integrated into the doors.

C STEERING-WHEEL-MOUNTED CONTROLS Keeping your eyes on the road, you can activate available Bluetooth¹ phone controls with your fingertips. The system links your compatible Bluetooth device to Sierra's audio system.



¹Not compatible with all devices.



SIERRA 1500 CREW CAB SLE INTERIOR IN JET BLACK
shown with available equipment.

**SUPPORTIVE SEATS RETAIN THEIR
SHAPE AND REDUCE FATIGUE**

**SOFT-TOUCH INSTRUMENT
PANEL, REAL ALUMINUM TRIM
AND CONTRASTING STITCHING
(AVAILABLE)**

**STORAGE BIN ACCOMMODATES
LAPTOPS (AVAILABLE)**

**STEERING-WHEEL-MOUNTED
CONTROLS (AVAILABLE)**

IT'S AMAZING WHAT YOU CAN ACCOMPLISH WITH THE RIGHT EQUIPMENT.

You shouldn't have to search around for gauges and controls. That's why Sierra's instrument panel puts information where it's most visible and accessible so you can concentrate on the road. All knobs and buttons are large to accommodate work gloves, while gauges are easy to read and LED back-lit for nighttime driving.

A INTELLILINK¹ The available GMC 203 mm diagonal Colour Touch Audio System with IntelliLink features a full-colour screen as well as hands-free, voice-activated control of your communication and entertainment selections. Stream Stitcher SmartRadio² through your smartphone or sync your MP3 music library.

B WIRELESS CHARGING MAT³ With available wireless charging conveniently located on the centre console, you can power up your compatible phone or device anytime the vehicle is running. No cord necessary.

C CENTRE PANEL SWITCHBANK Controls and power sources are centrally located within easy reach of the driver's seat. Four available auxiliary switches allow you to add controls for a winch, additional lights, air compressors, power outlets and other equipment (more switches shown at right).

¹Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. Visit intellilink.gmc.gm.ca for more details. ²Data plan rates apply. ³The vehicle must be on or Retained Accessory Power must be active. Remove all objects from the charging pad. Place the compatible mobile device face up on the charging symbol on the charging pad. Move the device slowly until the battery charging symbol displays on the touch-screen, indicating the device is charging. See your Infotainment System Owner's Manual. ⁴Vehicle user interface is a product of Apple[®] and Apple's[®] terms and privacy statements apply. Requires compatible smartphone. Data plan rates apply. ⁵Vehicle user interface is a product of Google[®] and Google's[®] terms and privacy statements apply. Requires compatible smartphone. Data plan rates apply. ⁶Not compatible with all devices. ⁷Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required.



A



B



C

NEW FOR 2016 IS SUPPORT FOR APPLE CARPLAY^{™4} AND ANDROID AUTO^{™5} THEY'RE A SMART WAY TO USE YOUR PHONE INSIDE YOUR SIERRA (AVAILABLE).

DRIVER ALERT PACKAGE NOW INCLUDES LANE KEEP ASSIST AND INTELLIBEAM (AVAILABLE)

COLOUR TOUCH AUDIO SYSTEM WITH INTELLILINK¹ OFFERS VOICE-ACTIVATED CONTROL (AVAILABLE)

UP TO FIVE USB PORTS,⁶ FOUR AUXILIARY OUTLETS AND AN AVAILABLE 110-VOLT OUTLET

ONSTAR 4G LTE WITH BUILT-IN WI-FI HOTSPOT⁷ KEEPS YOU AND YOUR CREW CONNECTED (AVAILABLE)

+



SIERRA INTERIOR IN JET BLACK
shown with available equipment.

LET OUR POWER AND EFFICIENCY DRIVE YOUR BUSINESS.


Sierra's EcoTec3 engine family (4.3L V6, 5.3L V8 and 6.2L V8) features GMC's latest technologies: Direct Injection (DI), Active Fuel Management and continuously Variable Valve Timing (VVT) to deliver power and fuel efficiency. New for 2016, the 5.3L V8 along with the available 6.2L V8 are paired with our Hydra-Matic 8-speed automatic transmission on SLT and Denali models.

DIRECT INJECTION For precise fuel distribution and fast, efficient combustion, all engines benefit from DI technology. The system moves the fuel closer to the ignition point in the engine—the combustion chamber.

ACTIVE FUEL MANAGEMENT By sensing load and demand, Active Fuel Management improves fuel efficiency by activating or deactivating cylinders (two on the V6 and four on the V8).

CONTINUOUSLY VARIABLE VALVE TIMING For responsiveness in low-speed city driving and bold power for open-road passing or trailering, all Sierra engines feature continuously VVT.

*These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. [†]Requires 6.2L EcoTec3 engine and Max Trailering Package. Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.



THE CORNERSTONE OF ANY STRUCTURE IS ITS FOUNDATION.

The 2016 Sierra is solid, thanks to meticulous attention to detail throughout its structure. That Professional Grade strength produces a maximum payload of up to 1025 kg,¹ as well as a maximum trailer weight rating of up to 5443 kg,² based on SAE J2807 performance requirements. Providing the ultimate support is a hydroformed, boxed, high-strength steel frame. Connecting the body to the frame are shear and hydraulic body mounts. They work together to help manage side-to-side and up-and-down vibrations.

A ELECTRIC RACK-AND-PINION STEERING It improves fuel efficiency versus engine-powered systems. The variable assist provides less assist at highway speeds for a solid on-centre feel, and more assist for less steering effort when manoeuvring in tight spaces.




B COIL-OVER-SHOCK FRONT SUSPENSION This fully independent system is precisely tuned for improved handling. The front shock module increases road isolation in response to smaller vibration inputs. A thick spring isolator and a high spring rate produce a more controlled ride.

C CORROSION-RESISTANT BRAKES Duralife brake rotors can help double rotor life. This GM-exclusive corrosion protection is designed to prolong rotor life and protect against rust to help prevent brake shudder.

STABILITRAK This electronic stability control system helps improve stability by detecting and reducing traction loss. For rollover mitigation, StabiliTrak anticipates a vehicle “tip up” situation, rapidly braking to help reduce lateral forces and the likelihood of a rollover.

HILL START ASSIST Sensors detect when Sierra is on a 5 percent grade or more. It helps hold the brakes momentarily or until the accelerator is pressed, preventing rollback. It's most effective when trailering, allowing you to switch from the brake to the accelerator without rolling.

LARGE REAR AXLE With the 5.3L engine, the rear axle has a large 241 mm ring gear. Choose the Max Trailering Package or the 6.2L engine and it increases to 248 mm. These axles are engineered to handle the robust power and provide durability.



LIKE YOU, OUR ENGINEERS ALWAYS BUILD ON THEIR STRENGTHS.

You never rest on past achievements. At GMC, neither do we. The 2016 Sierra 2500HD and 3500HD take proven powertrains and add quiet, comfortable interiors, heavy-duty capability and cargo box innovations to produce a premium-duty breed of Professional Grade trucks. The available Duramax 6.6L V8 Turbo Diesel engine delivers 397 horsepower and 765 lb.-ft. of torque.



A STANDARD HAS QUIETLY BEEN ACHIEVED The 2016 Sierra HD cabin combines triple door seals, inlaid doors and other refinements throughout to create a quiet environment. Premium materials, supportive seats and generous storage also help set the standard.

¹GM reported U.S. full-size pickup and van fleet and retail vehicle deliveries, vehicle model year 2000-2014 through August 2013. ²Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ³These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ⁴Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required. ⁵Vehicle user interface is a product of Apple® and Apple's® terms and privacy statements apply. Requires compatible smartphone. Data plan rates apply. ⁶Vehicle user interface is a product of Google and Google's terms and privacy statements apply. Requires compatible smartphone. Data plan rates apply.

MORE THAN 1 MILLION DURAMAX DIESELS WITH ALLISON® TRANSMISSIONS ON THE ROAD WITH MORE THAN 160 BILLION KILOMETRES OF EXPERIENCE¹

INNOVATIVE CARGO BOX OFFERS EZ-LIFT AND LOWER TAILGATE WITH A NEW REMOTE POWER LOCKING FEATURE, AVAILABLE LED UNDER-RAIL LIGHTS, MOVABLE UPPER TIE-DOWN HOOKS AND CORNERSTEP REAR BUMPER

A 3500HD CONVENTIONAL TRAILERING CAPABILITY OF UP TO 9072 KG² (AVAILABLE)

A 3500HD MAX FIFTH-WHEEL OR GOOSENECK TRAILERING CAPABILITY OF UP TO 10,523 KG²

A 3500HD MAX PAYLOAD CAPACITY OF UP TO 3245 KG³

ONSTAR 4G LTE WITH BUILT-IN WI-FI HOTSPOT⁴ (AVAILABLE)

NEW FOR 2016 IS SUPPORT FOR APPLE CARPLAY™⁵ AND ANDROID AUTO.⁶ THEY'RE A SMART WAY TO USE YOUR PHONE INSIDE YOUR SIERRA HD (AVAILABLE).





SIERRA 3500HD CREW CAB SLT WITH
DUAL REAR WHEELS IN ONYX BLACK
shown with available equipment.



CHASSIS CAB OFFERS A DIESEL WITH 397 HP AND 765 LB.-FT. OF TORQUE

CHASSIS CAB PRODUCES A PAYLOAD OF UP TO 3305 KG*

CHASSIS CAB FEATURES TWO FUEL TANKS TOTALING A 240-LITRE (52.9-IMP. GAL.) FUEL CAPACITY (APPROX.)

HIGH IDLE CONTROL (AVAILABLE)

SIERRA 3500HD CHASSIS CAB WITH DUAL REAR WHEELS IN SUMMIT WHITE shown with available equipment.

SIERRA CHASSIS CAB AND BOX DELETE

THE POWER YOU EXPECT.
THE CONTROL YOU DESERVE.

The GMC Sierra Chassis Cab or Box Delete is built for the toughest jobs. With up to 765 lb.-ft. of torque and 397 horsepower, a Professional Grade payload capacity of up to 3305 kg¹ and a Gross Vehicle Weight Rating (GVWR) of up to 5987 kg,² the Chassis Cab is designed with power and strength. The lineup offers a standard Vortec 6.0L V8 gas engine or an available Duramax 6.6L V8 Turbo Diesel. Choose from 1500 mm or 2123 mm cab-to-axle lengths as well as Regular and Crew Cab options.

NEW LIGHT-DUTY BOX DELETE. For 2016, we're excited to introduce an industry-first Box Delete option for our 1500 series Sierra Regular Cab. Like the Box Delete on HD models, it requires a long box and deletes the pickup box, rear bumper and spare tire carrier (it can be retained if necessary). This Box Delete includes high-rate rear springs and front stabilizer bar from our Max Trailering Package for better performance when operating near the truck's maximum GVWR. If you have lower payload requirements, this new option will reduce upfront costs and provide fuel-efficiency advantages compared to Heavy Duty Box Delete alternatives.

A POWER TAKE OFF (PTO) Sierra 3500HD Chassis Cab models equipped with the available Allison automatic transmission include a PTO control in the switchbank to accommodate a compatible aftermarket PTO to drive equipment such as a hydraulic dump body, hydraulic pumps or generators.

B INTEGRATED TRAILER BRAKE CONTROLLER Provides immediate and measured brake-force signalling to electric-controlled trailer brake systems.



SIERRA CREW CAB CHASSIS CAB
With dump body upfit.³



SIERRA REGULAR CAB CHASSIS CAB
With flatbed upfit.³

¹These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ²When properly equipped, includes weight of vehicle, passengers, cargo and equipment. ³Equipment added by an independent supplier. See page 47 for information about alterations and warranties.



A



A



B

LIKE YOUR BUSINESS, IT'S BUILT ON A STRONG FOUNDATION.


Weight robs a truck of its power and efficiency. In Sierra HD, the strategic use of high-strength Professional Grade steels and other premium materials enabled our engineers to create a strong, quiet and capable HD. We've precisely tuned the frame to help squelch vibration for a smooth ride and confident handling. It's a fortress of strength, and on Crew Cab and Double Cab models, the body rests on hydraulic body mounts for added comfort.

A SNOW PLOW PREP PACKAGE The front suspension utilizes precision machine-forged-steel upper control arms, robust torsion bars and our largest steering gear, producing a Front Gross Axle Weight Rating (FGAWR) of up to 2540 kg.¹ So 4x4 HD models can easily accommodate a snow plow with the available Snow Plow Prep Package.

B NEW DIGITAL STEERING ASSIST This available feature offers improved handling, an enhanced ability to hold the road, greater stability at high speeds and reduced sensitivity to uneven roads. These benefits are most appreciated while trailering.


C INDEPENDENT FRONT SUSPENSION Large, strong parts make the Sierra HD more capable and durable than anything we've offered before. But that hasn't sacrificed ride quality. The suspension allows the front wheels to react independently on rough terrain, helping keep each wheel in a vertical position. That means you'll enjoy great road isolation, exceptional tire-to-ground contact and reduced tire wear.

D NEW GOOSENECK/FIFTH-WHEEL PREP PACKAGE² Available on all cab types, the package includes a box-mounted trailer harness and hitch platform for factory-installed durability.



DURALIFE BRAKE ROTORS All Sierra HD brake rotors feature corrosion resistance to help provide up to double the rotor life.

¹When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ²Available January 2016.



HYDRAULIC BODY MOUNTS On Crew Cab models, hydraulic body mounts improve ride quality by helping to isolate and absorb bumps.

FULLY BOXED STEEL FRAME With a fully boxed frame on pickup models, we increased the torsional rigidity and its resistance to twisting.

REAR SUSPENSION The asymmetrical leaf-spring design on pickup models (shorter in the front than in the rear) reduces “hop and shudder” and includes larger fasteners to handle the increased loads.



POWER. DEPENDABILITY. PROVEN. A MILLION TIMES OVER.

Sierra HD gets its heavy-duty power from proven sources, including the available Duramax 6.6L V8 Turbo Diesel mated to the Allison 6-speed automatic transmission. You'll find more than 1 million Duramax diesels with Allison transmissions on the road today with more than 160 billion kilometres of real-world experience. The Compressed Natural Gas (CNG)/Gasoline Bi-Fuel System available on select single-rear-wheel and Chassis Cab models helps you reduce fuel costs and environmental impact.

POWER AND EFFICIENCY The available Duramax Diesel delivers 397 hp and 765 lb.-ft. of torque.

DIESEL EXHAUST BRAKE Our "smart" system varies the amount of engine braking needed based on the truck load and grade. It extends the life of your brakes by reducing brake heating and improves safety by reducing brake fade, even when towing heavy trailers. Included with the Duramax Diesel engine.

B20 BIODIESEL-FUEL COMPATIBLE Our Duramax 6.6L V8 Turbo Diesel with direct injection can also run on B20 fuel (a blend of 20 percent biodiesel and 80 percent diesel).

ALLISON TRANSMISSION The available Allison 1000 6-speed automatic lets you activate Tow/Haul mode by pressing a button at the end of the shift lever. Also, by using the +/- button, you can select the range of gears for your driving conditions.

VORTEC 6.0L V8 The standard Vortec 6.0L V8 delivers up to 330 hp at 4600 rpm and 360 lb.-ft. of torque at 5400 rpm.

BI-FUEL 6.0L VORTEC V8 Our 6.0L Vortec V8 engine includes hardened exhaust valves and intake/exhaust valve seats, allowing it to run on either CNG or gasoline.



DURAMAX 6.6L V8 TURBO DIESEL ENGINE DELIVERS 397 HP AND 765 LB.-FT. OF TORQUE (AVAILABLE)


CNG FUEL SYSTEM REDUCES COSTS AND ENVIRONMENTAL IMPACT (AVAILABLE)

S = Standard A = Available -- = Not Available


ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM	EXTENDED CAB		CREW CAB		
			4x2	4x4	4x2	4x4	
2.5L I-4 (150 cu. in.)	200 @ 6300	191 @ 4400	S	S	S ¹	--	
Duramax 2.8L I-4 Turbo Diesel	181 @ 3400 (est.)	369 @ 2000 (est.)	--	--	A ²	A ²	
3.6L V6 (217 cu. in.)	305 @ 6800	269 @ 4000	A	A	A ³	S ⁴	
TRANSMISSION							
6-Speed Manual			S	--	--	--	
6-Speed Automatic			A	S	S	S	
AXLE RATIO							
3.42 (V6/Duramax Diesel)			A	A	A	S	
4.10 (I-4)			S	S	S	--	
CAPACITY							
GVWR (kg) ⁵			2449-2585	2540-2676	2495-2722	2722-2812	
Payload (kg) ⁶			621-735	608-721	626-735	627-703	
MAX TRAILERING							
Cab Type	Extended Cab		Crew Cab				
Box Length	Long (6' 2")		Short (5' 2")		Long (6' 2")		
Engine	2.5L I-4	3.6L V6	2.5L I-4	3.6L V6	2.8L I-4 Turbo Diesel	3.6L V6	2.8L I-4 Turbo Diesel
Axle Ratio (4x2/4x4)	4.10/4.10	3.42/3.42	4.10/--	3.42/3.42	3.42/3.42	3.42/3.42	3.42/3.42
Maximum Trailer Weight (kg) (4x2/4x4) ⁷	1588/1588	3175/3175	1588/--	3175/3175	3493/3447	3175/3175	3493/3447
DIMENSIONS							
Cab Type	Extended Cab		Crew Cab				
Box Length	Long (6' 2")		Short (5' 2")		Long (6' 2")		
Wheelbase (mm)	3259		3259		3569		
Overall Length (mm)	5395		5395		5705		
Overall Width Without Mirrors (mm)	1887		1887		1887		
Overall Height at Roof (mm) (excludes antenna)	1788		1796		1793		
Cargo Box Length at Floor (mm)	1880		1567		1880		
Cargo Box Width (mm)	1468		1468		1468		
Fuel Tank Capacity, litres (imp. gal.) (approx.)	79 (17)		79 (17)		79 (17)		
Standard Wheels (in)	16		16		16		

¹Not available on Crew Cab Long Box models. ²Available on SLE and SLT models. ³Standard on Crew Cab Long Box models. ⁴Standard on Crew Cab SLE, SLT and Long Box models. ⁵When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ⁶These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ⁷Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

CANYON CABS & BEDS



Extended Cab | Long Box | 4x2 | 4x4



Crew Cab | Short Box | 4x2 | 4x4



Crew Cab | Long Box | 4x2 | 4x4

S = Standard A = Available -- = Not Available


ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM	REGULAR CAB		DOUBLE CAB		CREW CAB	
			4x2	4x4	4x2	4x4	4x2	4x4
4.3L EcoTec3 V6 (262 cu. in.)	285 @ 5300	305 @ 3900	S	S	S	S	S	S
5.3L EcoTec3 V8 (325 cu. in.)	355 @ 5600	383 @ 4100	A	A	A	A	A	A
6.2L EcoTec3 V8 (376 cu. in.)	420 @ 5600	460 @ 4100	--	--	A	A	A	A
TRANSMISSION								
6-Speed Automatic			S	S	S	S	S	S
8-Speed Automatic			--	--	A	A	A	A
AXLE RATIO								
3.08			A	A	A	A	A	A
3.23			A	--	A	A	A	A
3.42			A	A	A	A	A	A
3.73			--	--	A	A	A	A
CAPACITY								
GVWR (kg) ¹			2948-3084	3039-3175	3130-3357	3221-3447	3130-3357	3221-3447
Front GAWR (kg)			1497	1792	1746	1792	1746	1792
Rear GAWR (kg)			1724-1792	1746-1792	1792-1950	1792-1950	1792-1950	1792-1950
Payload (kg) ²			862-889	835-862	826-1025	821-1007	757-980	748-966
MAX TRAILERING								
Cab Type	Regular Cab		Double Cab		Crew Cab			
Box Length	Standard	Long	Standard	Short	Standard			
Engine	5.3L EcoTec3	5.3L EcoTec3	6.2L EcoTec3	6.2L EcoTec3	6.2L EcoTec3			
Axle Ratio (4x2/4x4)	3.42/3.42	3.42/3.42	3.42/3.42	3.42/3.42	3.42/3.42			
Maximum Trailer Weight (kg) (4x2/4x4) ³	4037/3901	4445/4309	5443/5352	5443/5307	5398/5307			
DIMENSIONS								
Cab Type	Regular Cab		Double Cab		Crew Cab			
Box Length	Standard	Long	Standard	Short	Standard			
Wheelbase (mm)	3023	3378	3645	3645	3886			
Overall Length (mm)	5221	5701	5829	5829	6071			
Overall Height (mm)	1879-1883	1867-1874	1877	1879-1884	1879-1884			
Cargo Box Length (mm)	2003	2483	2003	1761	2003			
Body Width (mm)	2032	2032	2032	2032	2032			
Cab to Axle (mm)	1052	1407	1054	812	1053			
Fuel Tank Capacity, litres (imp. gal.) (approx.)	98 [22]	129 [28]	98 [22]	98 [22]	98 [22]			
Standard Wheels (in)	17	17	17	17	17			

¹When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ²These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ³Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.


SIERRA 1500 CABS & BEDS



Regular Cab | Standard Box | 4x2 | 4x4




Regular Cab | Long Box | 4x2 | 4x4



Double Cab | Standard Box | 4x2 | 4x4



Crew Cab | Short Box | 4x2 | 4x4




Crew Cab | Standard Box | 4x2 | 4x4


S = Standard A = Available -- = Not Available

ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (L.B.-FT.) @ RPM	REGULAR CAB		DOUBLE CAB		CREW CAB			
			4x2	4x4	4x2	4x4	4x2	4x4		
Vortec 6.0L V8 HD (366 cu. in.) (Pickup Models)	330 @ 4600	360 @ 5400	S	S	S	S	S	S		
Vortec 6.0L V8 HD (366 cu. in.) (Box Delete Models)	322 @ 4400	380 @ 4200	A	A	A	A	A	A		
Vortec 6.0L CNG V8 (366 cu. in.)	360 @ 5400 Gas 301 @ 5000 CNG	380 @ 4200 Gas 333 @ 4200 CNG	A	A	A	A	A	A		
Duramax 6.6L V8 Turbo Diesel (402 cu. in.)	397 @ 3000	765 @ 1600	A	A	A	A	A	A		
TRANSMISSION										
6-Speed Heavy-Duty Automatic with 6.0L			S	S	S	S	S	S		
6-Speed Allison Heavy-Duty Automatic with 6.6L Turbo Diesel			A	A	A	A	A	A		
AXLE RATIO										
3.73:1 (Standard with Duramax 6.6L V8 Turbo Diesel)			A	A	A	A	A	A		
4.10:1 (6.0L V8 engines only)			S	S	S	S	S	S		
CAPACITY										
GVWR (kg) ¹			4218-4536	4309-4491	4309-4536	4309-4536	4309-4536	4309-4536		
Front GAWR (kg) Gas			1996	1996 ²	1996	1996-2177	1996-2177	2177 ³		
Front GAWR (kg) Diesel			2177	2359 ⁴	2359	2359-2540 ⁴	2359	2359-2540 ⁴		
Rear GAWR (kg)			2812-3039	2812	2812	2812	2812	2812		
Payload (kg) ⁵			1306-1834	1249-1546	1237-1535	1057-1403	1128-1466	1037-1443		
MAX TRAILERING										
Cab Type	Regular Cab		Double Cab			Crew Cab				
Box Length	Long		Standard		Long		Standard		Long	
Engine	Vortec 6.0L V8 ⁷	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8 ⁷	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8 ⁷	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8 ⁷	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8 ⁷	Duramax 6.6L V8 Turbo Diesel
Axle Ratio (4x2/4x4)	4.10/4.10	3.73/3.73	4.10/4.10	3.73/3.73	4.10/4.10	3.73/3.73	4.10/4.10	3.73/3.73	4.10/4.10	3.73/3.73
Maximum Conventional Trailer Weight (4x2/4x4) ⁶	6577/6577	6577/6577	5897/5897	5897/5897	6532/6396	6577/6577	5897/5897	5897/5897	6486/6305	6577/6577
Maximum Fifth-Wheel/Gooseneck Trailer Weight (4x2/4x4) ⁶	6713/6577	8165/7439	6577/6441	7666/6759	6532/6396	7303/6441	6486/6350	7167/6305	6441/6305	6895/5851
DIMENSIONS										
Cab Type	Regular Cab		Double Cab			Crew Cab				
Box Length	Long		Standard		Long		Standard		Long	
Wheelbase (mm)	3393		3663		4016		3904		4260	
Overall Length (mm)	5701		5842		6322		6083		6563	
Overall Height (mm)	1976		1984		1978		1988		1881	
Cargo Box Length (mm) ⁸	2483		2003		2483		2003		2483	
Body Width (mm)	2045		2045		2045		2045		2045	
Cab to Axle (mm)	1401		1048		1403		1048		1403	
Gasoline Fuel Tank Capacity, litres (imp. gal.) (approx.) ⁹	136 (30)		136 (30)		136 (30)		136 (30)		136 (30)	
Standard Wheels (in)	17		17		17		17		17	


SIERRA 2500HD CABS & BEDS




Regular Cab | Long Box | 4x2 | 4x4




Double Cab | Standard Box | 4x2 | 4x4



Double Cab | Long Box | 4x2 | 4x4



Crew Cab | Standard Box | 4x2 | 4x4



Crew Cab | Long Box | 4x2 | 4x4


¹When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ²2359 kg with available Snow Plow Prep Package. ³2359 kg with Standard Box and available Snow Plow Prep Package and 2540 kg with Long Box and available Snow Plow Prep Package. ⁴2721 kg with available Snow Plow Prep Package. ⁵These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ⁶Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ⁷See your GMC dealer for more details and availability on Vortec 6.0L CNG V8-equipped models. ⁸See your GMC dealer for length of Cargo Box of CNG-equipped models. ⁹See your GMC dealer for additional information on CNG-model fuel tank capacities.

S = Standard A = Available -- = Not Available


ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM	REGULAR CAB				DOUBLE CAB				CREW CAB			
			3500HD SRW 4x2 ¹	3500HD SRW 4x4 ¹	3500HD DRW 4x2	3500HD DRW 4x4	3500HD SRW 4x2 ¹	3500HD SRW 4x4 ¹	3500HD DRW 4x2	3500HD DRW 4x4	3500HD SRW 4x2 ¹	3500HD SRW 4x4 ¹	3500HD DRW 4x2	3500HD DRW 4x4
Vortec 6.0L V8 HD (366 cu. in.) (Pickup Models)	330 @ 4600	360 @ 5400	S	S	S	S	S	S	S	S	S	S	S	S
Vortec 6.0L CNG V8 (366 cu. in.)	360 @ 5400 Gas 301 @ 5000 CNG	380 @ 4200 Gas 333 @ 4200 CNG	A	A	--	--	A	A	--	--	A	A	--	--
Duramax 6.6L V8 Turbo Diesel (402 cu. in.)	397 @ 3000	765 @ 1600	A ²	A	A ²	A	A	A	A	A	A	A	A	A
TRANSMISSION														
6-Speed Heavy-Duty Automatic with 6.0L			S	S	S	S	S	S	S	S	S	S	S	S
6-Speed Allison Heavy-Duty Automatic with 6.6L Turbo Diesel			A	A	A	A	A	A	A	A	A	A	A	A
AXLE RATIO														
3.73:1 (Standard on Duramax 6.6L V8 Turbo Diesel)			A	A	A	A	A	A	A	A	A	A	A	A
4.10:1 (6.0L V8 engines only)			S	S	S	S	S	S	S	S	S	S	S	S
CAPACITY														
GVWR (kg) ³			4717	4854-5171	6124	5908-6078	4854-5080	4990-5262	5908	5908	4763-5171	4899-5262	5908	5908
Front GAWR (kg) Gas			1996	1996 ⁴	1996	1996 ⁴	1996	2177 ⁴	2177	2177 ⁴	1996	2177 ⁴	2177	2177 ⁴
Front GAWR (kg) Diesel			NA	2359 ⁴	NA	2359 ⁵	2359	2540 ⁵	2359	2540 ⁵	2359	2540 ⁵	2540	2540 ⁵
Rear GAWR (kg)			3198	3198	4457	4252-4457	3198	3198	4252	4252	3198	3198	4252	4252
Payload (kg) ⁶			1694-1991	1676-1974	3245	2534-3050	1625-1938	1634-1947	2483-2828	2356-2701	1568-1881	1551-1864	2428-2772	2269-2605
MAX TRAILERING														
Cab Type	Regular Cab SRW		Regular Cab DRW		Double Cab SRW		Double Cab DRW		Crew Cab SRW		Crew Cab SRW		Crew Cab DRW	
Box Length	Long		Long		Long		Long		Standard		Long		Long	
Engine	Vortec 6.0L V8 ⁸	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8 ⁸	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8 ⁸	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8 ⁸	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8	Duramax 6.6L V8 Turbo Diesel
Axle Ratio [4x2/4x4]	4.10/4.10	NA/3.73	4.10/4.10	NA/3.73	4.10/4.10	3.73/3.73	4.10/4.10	3.73/3.73	4.10/4.10	3.73/3.73	4.10/4.10	3.73/3.73	4.10/4.10	3.73/3.73
Maximum Conventional Trailer Weight [4x2/4x4] ⁷	6577/6486	NA/6577	6486/6350	NA/9072	6441/6305	6577/6577	6260/6169	9072/9072	5897/5897	5897/5897	6396/6214	6577/6804	6214/6078	9072/9072
Maximum Fifth-Wheel/Goose- neck Trailer Weight [4x2/4x4] ⁷	6622/6486	NA/7938	6486/6305	NA/10,523	6441/6305	7893/7756	6260/6123	10,478/10,342	6441/6305	7938/7802	6396/6214	7847/7666	6214/6033	10,387/10,251
DIMENSIONS														
Cab Type	Regular Cab				Double Cab				Crew Cab					
Box Length	Long				Long				Standard		Long			
Wheelbase (mm)	3393				4016				3409		4260			
Overall Length (mm)	5700				6322				6083		6563			
Overall Height (mm)	1950-1979				1972-1981				1985-1990		1975-1983			
Cargo Box Length (mm)	2483				2483				2003		2483			
Body Width (mm) (SRW/DRW)	2045/2438				2045/2438				2045/2438		2045/2438			
Cab to Axle (mm)	1401				1403				1048		1403			
Fuel Tank Capacity, litres (imp. gal.) (approx.)	136 (30)				136 (30)				136 (30)		136 (30)			
Standard Wheels (in) SRW	18				18				18		18			
Standard Wheels (in) DRW	17				17				17		17			

¹Optional 4536 kg GVWR available on Single Rear Wheel 3500HD models with gas engine, except 4x4 Crew Cab with Long Box. ²Diesel available only with box delete. ³When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ⁴2540 kg with available Snow Plow Prep Package. ⁵2721 kg with available Snow Plow Prep Package. ⁶These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ⁷Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ⁸See your GMC dealer for more details and availability on Vortec 6.0L CNG V8-equipped models.


SIERRA 3500HD SERIES SINGLE REAR WHEEL




Regular Cab | Long Box | 4x2 | 4x4



Double Cab | Long Box | 4x2 | 4x4




Crew Cab | Standard Box | 4x2 | 4x4




Crew Cab | Long Box | 4x2 | 4x4


SIERRA 3500HD SERIES DUAL REAR WHEEL



Regular Cab | Long Box | 4x2 | 4x4



Double Cab | Long Box | 4x2 | 4x4




Crew Cab | Long Box | 4x2 | 4x4


S = Standard A = Available -- = Not Available

ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM	3500HD DRW REGULAR CAB		3500HD DRW CREW CAB	
			4x2	4x4	4x2	4x4
Vortec 6.0L V8 Heavy Duty (366 cu. in.)	322 @ 4400	380 @ 4200	S	S	S	S
Duramax 6.6L V8 Turbo Diesel (402 cu. in.)	397 @ 3000	765 @ 1600	A	A	A	A
TRANSMISSION						
6-Speed Heavy-Duty Automatic with 6.0L			S	S	S	S
6-Speed Allison Heavy-Duty Automatic with 6.6L Turbo Diesel			A	A	A	A
AXLE RATIO						
3.73:1 (Standard with Duramax 6.6L V8 Turbo Diesel)			A	A	A	A
4.10:1 (6.0L V8 only)			A	A	A	A
CAPACITY						
GVWR (kg) ¹			5988	5988	5988	5988
Front GAWR (kg) Gas			1996-2177	1996-2359	1996	2177
Front GAWR (kg) Diesel			2177-2540	2359-2540	2359	2540
Rear GAWR (kg)			4423	4423	4423	4423
Payload (kg) ²			2872-3305	2716-3107	2644-2985	2484-2825
MAX GROSS COMBINATION WEIGHT RATING (GCWR)						
Cab Type			Regular Cab		Crew Cab	
Engine			Vortec 6.0L V8	Duramax 6.6L V8 Turbo Diesel	Vortec 6.0L V8	Duramax 6.6L V8 Turbo Diesel
Axle Ratio (4x2/4x4)			4.10/4.10	3.73/3.73	4.10/4.10	3.73/3.73
GCWR (4x2/4x4) ³			9571/9571	14,107/14,107	9571/9571	14,107/14,107
DIMENSIONS						
Cab Type			Regular Cab		Crew Cab	
Wheelbase (mm)			3492/4115		4356	
Overall Length (mm)			5829/6452		6693	
Overall Height (mm)			1952		1976	
Body Width (mm)			2045		2045	
Cab to Axle (mm)			1500/2123		1500	
Fuel Tank Capacity, litres (imp. gal.) (approx.)			240 (52.8)		240 (52.8)	
Standard Wheels (in)			17		17	

SIERRA 3500HD SERIES CHASSIS CAB



Regular Cab
1524 mm and 2134 mm Cab-to-Axle
4x2 | 4x4



Crew Cab
1524 mm Cab-to-Axle | 4x2 | 4x4

¹Optional 4536 kg GVWR available on Single Rear Wheel 3500HD models with gas engine, except 4x4 Crew Cab with Long Box. When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ²These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ³When properly equipped, includes weight of the vehicle and trailer combination, including the weight of driver, passengers, fuel, optional equipment and cargo in the vehicle and trailer.

ALL YOUR EMPLOYEES SHOULD BE THIS VERSATILE.

We designed Savana Cargo Van to help you no matter what the workday brings. Choose payload and interior space combinations to suit your needs. It offers a base payload of 1473 kg¹ and 7658 litres of maximum cargo space²—and it now includes six new cargo D-ring tie-downs. Savana Cargo Van Extended Wheelbase models offer even more capability, with up to 1769 kg of payload¹ and 8890 litres of maximum cargo space.² A variety of fuel systems is available: 4.8L or 6.0L V8 gasoline, our proven Duramax 6.6L V8 Turbo Diesel or the dedicated CNG alternative fuel systems.

A SAVANA PRO PACKAGE Side-access storage bins on the Savana Pro Package maximize underused areas in standard vans. The package provides plenty of cargo space and a flat load floor, so it easily adapts to your needs.

B REAR VISION CAMERA This available system places a monitor in your rearview mirror (or navigation screen, if equipped) to display a view of the area behind the vehicle, making it easier to back up to a trailer or negotiate a tight space.

C ONSTAR WITH 4G LTE AND BUILT-IN WI-FI³ HOTSPOT New available OnStar with 4G LTE and a built-in Wi-Fi hotspot includes a 3-month or 3 GB data trial (whichever comes first) for a fast Internet connection for Web-enabled devices from up to 15 metres around Savana. It's reliable, easy to use and handles up to seven mobile devices.⁴

¹These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ²Cargo and load capacity limited by weight and distribution. ³Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required. ⁴Devices must be WPA2-compliant. Wi-Fi devices manufactured prior to 2006 may not be compatible. Please consult your device manufacturer for information regarding the WPA2 security protocol and Wi-Fi device compatibility. Vehicle must be started or in accessory mode to access Wi-Fi. Visit onstar.ca for system details and limitations. ⁵Comparison based on wardsauto.com 2015 Large Van segment and latest competitive information available at time of printing. Excludes other GM vehicles.



A



B



C

NEW ONSTAR WITH 4G LTE AND BUILT-IN WI-FI HOTSPOT³ (AVAILABLE)

ASSIST STEP OPTIONS: SHORT DRIVER AND SHORT FRONT-PASSENGER SIDES; SHORT DRIVER AND LONG FRONT-PASSENGER SIDES

BROADEST V8 ENGINE LINEUP IN THE SEGMENT⁵

DURAMAX 6.6L V8 IS THE MOST POWERFUL DIESEL ENGINE IN ITS CLASS⁵ (AVAILABLE)

5-PASSENGER CREW VAN SEATING (AVAILABLE)

120-VOLT POWER OUTLET





SAVANA 3500 CARGO VAN IN SUMMIT WHITE
shown with available equipment.



NEW ONSTAR 4G LTE WITH
WI-FI HOTSPOT¹ (AVAILABLE)

NEW COLOUR TOUCH NAVIGATION²
RADIO WITH INTELLILINK³
(AVAILABLE)

BROADEST V8 ENGINE
LINEUP IN THE SEGMENT⁴

HEAD CURTAIN SIDE-IMPACT
AIRBAGS⁵ HELP PROVIDE
PROTECTION FOR THE FIRST
THREE ROWS

ASSIST STEP OPTIONS:
SHORT DRIVER AND LONG
FRONT-PASSENGER

EXTENDED WHEELBASE MODELS
FEATURE THREE-LAYER SPECIAL-
TECHNOLOGY GLASS FOR THE
FOURTH AND FIFTH ROWS

120-VOLT POWER OUTLET



SAVANA 3500 PASSENGER VAN IN ONYX BLACK
shown with available equipment.

SAVANA PASSENGER VAN

SAFETY ISN'T JUST A PRIORITY. IT'S YOUR BUSINESS.

We understand "safety first." Our Savana Passenger Vans include new seat-mounted side-impact airbags.⁵ They help protect the thorax and pelvis of the driver and front passenger in a side-impact collision, while head curtain side-impact airbags⁵ help protect people in the front rows. On Extended Wheelbase models, enhanced-technology glass in the rearmost side windows helps protect everyone in the fourth and fifth rows. Savana also includes StabiliTrak and ABS. It can also accommodate mobility equipment such as wheelchair lifts, ramps, running boards and other driver aids, available from independent aftermarket suppliers.⁶


INTELLILINK³ Included with available Colour Touch Navigation,² IntelliLink provides smartphone integration and voice-activated control of your communication and entertainment selections, including placing a call, changing stations, streaming Internet radio station Stitcher SmartRadio^{®7} or accessing your music library. It also converts text messages into voice messages.

MULTIPLE PASSENGER CONFIGURATIONS With two wheelbase choices, two model series and two seating arrangements, Savana Passenger Vans can accommodate up to 12 people in the 2500 and 3500 Series 3429 mm wheelbase models or up to 15 in the 3500 Series 3937 mm wheelbase models.



¹Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required. ²At time of printing, detailed map coverage is available for most major urban areas of the United States and for certain metropolitan areas of Canada [Vancouver, Calgary, Edmonton, Winnipeg, Windsor, London, Toronto, Ottawa, Montreal, Quebec City and Halifax]. Coverage is significantly limited outside these areas. ³Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. Visit intellilink.gm.ca for more details. ⁴Comparison based on wardsauto.com 2015 Large Van segment and latest competitive information available at time of printing. Excludes other GM vehicles. ⁵Always use safety belts and the correct restraint for your child's age and size. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with a passenger airbag. See the Owner's Manual and child safety seat instructions for more safety information. ⁶See page 47 for information about alterations and warranties. Reimbursement plans are available. See dealer for details or go to gm.ca and search "Mobility" for GM Canada Mobility Programs for Persons with Disabilities. ⁷Data plan rates apply.

SAVANA 3500 CARGO VAN IN SUMMIT WHITE
shown with available equipment.



AVAILABLE IN 3531 MM,
4039 MM AND 4496 MM
WHEELBASES

A LARGE RANGE OF GVWRs:
4490-5579 KG [3531 MM
WHEELBASE], 4490-6441 KG
[4039 MM WHEELBASE]
AND 5579-6441 KG
[4496 MM WHEELBASE]*

COLOUR TOUCH
NAVIGATION² SYSTEM
WITH INTELLILINK³
[AVAILABLE]

AVAILABLE AUTOMATIC
LOCKING REAR
DIFFERENTIAL IMPROVES
LOW-SPEED TRACTION

SAVANA 3500 CUTAWAY WITH DUAL REAR WHEELS⁴
shown with available equipment.

SAVANA CUTAWAY

ADAPTS TO YOUR NEEDS. EXCEEDS YOUR EXPECTATIONS.

Savana Cutaway can be upfitted for various commercial applications. With a combination of remarkable payload and GVWR, along with three wheelbase lengths and dual- and single-rear-wheel options, it's the perfect solution for your needs. Opt for the 215.7 L [47.5 imp. gal.] fuel tank [approx.], available with a gas V8 and standard with a diesel V8, and go longer between fill-ups.

STABILITRAK Works with Traction Control to help maintain control when driving on ice, snow, gravel, wet pavement and uneven roads. Standard on SRW models only.

EATON® AUTOMATIC LOCKING REAR DIFFERENTIAL When the available Eaton locker senses a 100 rpm difference in wheel speed between the left and right rear wheels, it locks both to turn in unison for added traction.

SAVANA MOBILE OFFICE Available features such as Bluetooth[®] and available OnStar 4G LTE Wi-Fi[®] along with a new 120-volt outlet, turn Savana into a fully functional mobile office.



CUTAWAY
SCHOOL BUS⁴



CUTAWAY
SHUTTLE BUS⁴



CUTAWAY WITH
AMBULANCE BODY⁴



CUTAWAY WITH
UTILITY BOX⁴


SAVANA 3500 CUTAWAY WITH DUAL REAR WHEELS⁴
shown with available equipment.

¹When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ²At time of printing, detailed map coverage is available for most major urban areas of the United States and for certain metropolitan areas of Canada [Vancouver, Calgary, Edmonton, Winnipeg, Windsor, London, Toronto, Ottawa, Montreal, Quebec City and Halifax]. Coverage is significantly limited outside these areas. ³Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. Visit intellilink.gmc.gm.ca for more details. ⁴See page 47 for information about alterations and warranties. Reimbursement plans are available. See dealer for details or go to gm.ca and search "Mobility" for GM Canada Mobility Programs for Persons with Disabilities. ⁵Not compatible with all devices. ⁶Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required.


S = Standard A = Available - = Not Available

PASSENGER							CARGO																			
ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM	2500 RWD	3500 RWD	3500 Ext RWD	ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM	2500 RWD	2500 Ext RWD	3500 RWD	3500 Ext RWD														
Vortec 4.8L V8	285 @ 5400	295 @ 4600	S	S	S	Vortec 4.8L V8	285 @ 5400	295 @ 4600	S	S	S	S														
Vortec 6.0L V8	342 @ 5400	373 @ 4400	A	A	A	Vortec 6.0L V8	342 @ 5400	373 @ 4400	A	A	A	A														
Duramax 6.6L V8 Turbo Diesel	260 @ 3100	525 @ 1600	-	A	A	Duramax 6.6L V8 Turbo Diesel	260 @ 3100	525 @ 1600	A	A	A	A														
Vortec 6.0L CNG V8	282 @ 4800	320 @ 4400	-	-	-	Vortec 6.0L CNG V8	282 @ 4800	320 @ 4400	A	A	A	A														
TRANSMISSION																										
6-Speed Automatic			S	S	S	6-Speed Automatic			S	S	S	S														
CAPACITY																										
GVWR (kg) ¹			3901	4354	4354 ²	GVWR (kg) ¹			3901	3901	4354	4354 ²														
Front GAWR (kg)			1860	1950	1950	Front GAWR (kg)			1860	1860	1950	1950														
Rear GAWR (kg)			2431	2760	2760	Rear GAWR (kg)			2431	2431	2760	2760														
Maximum Payload (kg) ³			1126	1570	1425	Maximum Payload (kg) ³			1473	1367	1869	1769														
PASSENGER VAN DOOR AND SEATING CONFIGURATIONS							CARGO VAN DOOR CONFIGURATIONS																			
Right-Hand Passenger-Side 60/40 Swing-Out Doors			S	S	S	Right-Hand 60/40 Swing-Out Cargo Doors			S	S	S	S														
Right-Hand Passenger-Side Sliding Door			A	A	A	Right-Hand Sliding Door			A	A	A	A														
Rear Swing-Out Doors			S	S	S	Rear Swing-Out Cargo Doors			S	S	S	S														
12-Passenger Seating			S	S	S	Savana Pro Side Access Panels			A	-	A	-														
15-Passenger Seating			-	-	A	5-Passenger Seating			A	A	A	A														
MAX TRAILERING																										
Wheelbase	2500			3500				2500				3500														
	3429 mm			3429 mm		3937 mm		3429 mm		3937 mm		3429 mm		3937 mm												
Engine	4.8L V8	6.0L V8	6.0L CNG V8	4.8L V8	6.0L V8	Duramax 6.6L V8 Turbo Diesel	4.8L V8	6.0L V8	6.0L CNG V8	Duramax 6.6L V8 Turbo Diesel	4.8L V8	6.0L V8	6.0L CNG V8	Duramax 6.6L V8 Turbo Diesel	4.8L V8	6.0L V8	6.0L CNG V8	Duramax 6.6L V8 Turbo Diesel	4.8L V8	6.0L V8	6.0L CNG V8	Duramax 6.6L V8 Turbo Diesel				
Axle Ratio	3.42	3.42	3.73	3.42	3.42	3.54	3.42	3.42	3.42	3.54	3.42	3.42	3.42	3.54	3.42	3.42	3.42	3.54	3.42	3.42	3.42	3.54				
Maximum Trailer Weight (kg) ⁴	3674	4445	4309	3674	4400	4536	3538	4218	4082	4400	4037	4536	4490	4536	3901	4536	4400	4536	3992	4536	4445	4536	3901	4536	4355	4536
DIMENSIONS																										
			PASSENGER				CARGO																			
			3429 MM WHEELBASE			3937 MM WHEELBASE			3429 MM WHEELBASE			3937 MM WHEELBASE														
Overall Length (mm)	5692			6200			5692			6200																
Overall Width (mm)	2012			2012			2012			2012																
Overall Height (mm) ⁵	2131 (2500) / 2126 (3500)			2106			2149 (2500) / 2146 (3500)			2141 (2500) / 2136 (3500)																
Side-Door Height (mm)	1217			1217			1217			1217																
Side-Door Width (mm)	1120			1120			1120			1120																
Rear-Door Opening Width (mm)	1448			1448			1448			1448																
Rear-Door Opening Height (mm)	1255			1255			1255			1255																
Max Cargo Space (litres) ⁶ with seats removed	6123			7159			7658			8890																
Fuel Tank Capacity, litres (imp. gal.) (approx.)	117 (25.7)			117 (25.7)			117 (25.7)			117 (25.7)																
Wheels (in) 2500/3500 only	16			16			16			16																


SAVANA PASSENGER VAN



2500 | 3429 mm WB | RWD




3500 | 3429 mm WB | RWD




3500 | 3937 mm WB | RWD


SAVANA CARGO VAN




2500 | 3429 mm WB⁷ | RWD



2500 | 3937 mm WB | RWD




3500 | 3429 mm WB | RWD




3500 | 3937 mm WB | RWD


SAVANA 3500 SERIES CUTAWAY



3531 mm WB | RWD




4039 mm WB | RWD



4496 mm WB | RWD

SAVANA 4500 SERIES CUTAWAY



4039 mm WB | RWD

Wheelbase			3531 mm	4039 mm	4496 mm
ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM			
Vortec 4.8L V8 (GVWR < 4536 kg)	285 @ 5400	295 @ 4600	S	A	–
Vortec 4.8L V8 (GVWR > 4536 kg)	285 @ 5400	295 @ 4600	S	S	A
Vortec 6.0L V8	342 @ 5400	373 @ 4400	A	S	S
Duramax 6.6L V8 Turbo Diesel	260 @ 3100	525 @ 1600	A	A	A
TRANSMISSION					
6-Speed OD Automatic			S	S	S
CAPACITY					
GVWR (kg) ¹			4490-5579	4490-6441	5579-6441
Front GAWR (kg)			1860-2087	1860-2087	2087
Rear GAWR (kg)			2760-3901	2760-4355	3901-4355
Base Payload (kg) ³			2441	2313-4153	2952-4023

¹When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ²GVWR with Duramax Diesel is 4491 kg. ³These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ⁴Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ⁵Includes antenna. ⁶Cargo and load capacity limited by weight and distribution. ⁷Available with Pro Package or driver-side left-hand door.



YUKON

TREAT YOUR PASSENGERS TO A LUXURY SUITE.

At GMC, designing and engineering the 2016 Yukon and Yukon XL meant creating a new definition of the premium Professional Grade SUV, as well as satisfying businesses that demand a higher level of comfort, entertainment and performance. Yukon combines two powerful, efficient EcoTec3 engines and the quietest Yukon ever—quiet enough to hear your passengers' every request—with a spacious interior that's loaded with premium materials, innovative safety technologies and ingenious voice-activated infotainment systems. You and your passengers will appreciate the attention we've given to every detail of the driving experience.

QUIETLY WHISPERS PREMIUM Yukon and Yukon Denali raise the standards for solitude. You'll enjoy the quietest Yukon ever. In Yukon Denali (shown), premium surroundings abound thanks to authentic materials, a Bose® Centerpoint® surround sound system and an available four-colour Head-Up Display.



NEW FOR 2016 IS SUPPORT FOR APPLE CARPLAY.™¹ IT'S A SMART WAY TO USE YOUR IPHONE® INSIDE YOUR YUKON.

WIRELESS CHARGING MAT² AVAILABLE ON SELECT MODELS

ONSTAR WITH 4G LTE AND BUILT-IN WI-FI HOTSPOT³

ENHANCED DRIVER ALERT PACKAGE NOW INCLUDES LANE KEEP ASSIST AND INTELLIBEAM (AVAILABLE)

CLASS-LEADING⁴ POWER WITH THE ECOTEC3 6.2L V8 (DENALI)

EXCEPTIONAL FUEL EFFICIENCY WITH THE ECOTEC3 5.3L V8

POWER-RELEASE FOLD-AND-TUMBLE SECOND-ROW AND POWER FOLD-FLAT THIRD-ROW SEATS (AVAILABLE)

YUKON XL DENALI IN ONYX BLACK
shown with available equipment.

¹Vehicle user interface is a product of Apple® and Apple's® terms and privacy statements apply. Requires compatible smartphone. Data plan rates apply. ²The vehicle must be on or Retained Accessory Power must be active. Remove all objects from the charging pad. Place the compatible mobile device face up on the charging symbol on the charging pad. Move the device slowly until the battery charging symbol displays on the touch-screen, indicating the device is charging. See your Infotainment System Owner's Manual. ³Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required. ⁴Comparison based on wardsauto.com 2015 Large SUV segment and latest competitive information available at time of printing. Excludes other GM vehicles.

ACADIA, THE ULTIMATE MULTITASKER.

In business, versatility is the key to success. That's why we engineered Acadia to provide the cargo capacity of a full-size SUV with the benefits of crossover-like ease of entry and outstanding highway fuel efficiency. To help you accomplish more, Acadia offers built-in OnStar 4G LTE Wi-Fi.¹ Gain fast Internet speeds by adding a Wi-Fi hotspot to your mobile office. Acadia's spacious interior is easily configured with just one hand, allowing you to strike a balance between seating up to eight and 3288 litres of maximum cargo space.² The 3.6L VVT engine offers impressive power.

A ONSTAR WITH 4G LTE AND BUILT-IN WI-FI HOTSPOT¹ OnStar with 4G LTE and a built-in Wi-Fi hotspot includes a 3-month or 3 GB data trial (whichever comes first) for a fast Internet connection for Web-enabled devices. It's reliable, easy to use and can connect up to seven mobile devices.³

B CONFIGURABLE INTERIOR An adaptable interior helps balance your passenger and cargo needs. Fold the second and third rows to create a flat area for convenient loading.

C SMART SLIDE SEATING With Smart Slide second-row seating, you can slide the seats to the forward-most position with one hand. You can compact them for space with the same motion as a chaise lounge.


¹Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required. ²Cargo and load capacity limited by weight and distribution. ³Devices must be WPA2-compliant. Wi-Fi devices manufactured prior to 2006 may not be compatible. Please consult your device manufacturer for information regarding the WPA2 security protocol and Wi-Fi device compatibility. Vehicle must be started or in accessory mode to access Wi-Fi. Visit onstar.ca for system details and limitations. ⁴Comparison based on wardsauto.com 2015 Large Cross/Utility Vehicle segment and latest competitive information available at time of printing. Excludes other GM vehicles.



A



B



C

NEW ONSTAR WITH 4G LTE
AND BUILT-IN WI-FI HOTSPOT¹

BEST-IN-CLASS CARGO VOLUME⁴

CONVENIENT ONE-HAND
OPERATION FOR FLAT-FOLDING
SECOND- AND THIRD-ROW SEATS

TRI-ZONE CLIMATE CONTROL
SYSTEM ACCOMMODATES
THIRD-ROW PASSENGERS
(AVAILABLE)





ACADIA SLT IN CRIMSON RED TINTCOAT
shown with available equipment.



TERRAIN SLT IN EBONY TWILIGHT METALLIC
shown with available equipment.

TERRAIN

MOBILE WORK SPACE FOR A MOBILE WORKFORCE.

The productivity of your business matters to us. Make Terrain part of your fleet and reap the benefits of a tech-savvy crossover. Communication technologies include available IntelliLink² and OnStar with 4G LTE³ and a built-in Wi-Fi hotspot that allow your workforce to stay connected. Intelligent safety technologies such as the available Forward Collision Alert and Lane Departure Warning help make navigating safer. Plus, Side Blind Zone Alert and Rear Cross Traffic Alert are available on a wider range of trim levels for 2016. Smart engineering results in head room and leg room rivalling that of a full-size SUV while offering a fuel-consumption rating⁴ of 7.3 L/100 km highway (FWD) with the 2.4L engine. Innovative Multi-Flex seating lets you configure the interior to choose between Terrain's client- and customer-pleasing 1013 mm of second-row leg room or 895 litres of cargo¹ space behind the second row.

A INTELLILINK² Available IntelliLink uses Bluetooth⁵ or USB⁵ to connect the driver's smartphone to Terrain's 178 mm diagonal Colour Touch Audio system. It provides voice activation and hands-free calling and has steering-wheel-mounted controls to operate your smartphone.

B ROOM FOR EVERYONE—AND EVERYTHING Terrain complements its generous passenger room with smart storage solutions to help you make the most of your cargo space.

¹Cargo and load capacity limited by weight and distribution. ²Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. Visit intellilink.gmc.gm.ca for more details. ³Visit onstar.ca for coverage maps, details and system limitations. Services vary by model, conditions and geographical and technical restrictions. OnStar with 4G LTE connectivity is available on select vehicle models and in select markets. Available Wi-Fi hotspot requires a data plan. Customers will be able to access OnStar services only if they accept the OnStar User Terms, Privacy Statement and Software Terms. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. After the trial period (if applicable), an active OnStar service plan is required. ⁴Fuel-consumption ratings based on GM testing in accordance with Government of Canada approved test methods. Refer to vehicles.nrcan.gc.ca for details. Your actual fuel consumption may vary. ⁵Not compatible with all devices.



UP TO 1809 LITRES
OF CARGO SPACE¹

TERRAIN HAS THE HEAD
ROOM AND LEG ROOM OF
A FULL-SIZE SUV

S = Standard A = Available -- = Not Available			YUKON		YUKON XL		YUKON DENALI	YUKON XL DENALI
ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM	4x2	4x4	4x2	4x4	4x4	4x4
5.3L EcoTec3 V8 (325 cu. in.)	355 @ 5600	383 @ 4100	S	S	S	S	–	–
6.2L EcoTec3 V8 (376 cu. in.)	420 @ 5600	460 @ 4100	–	–	–	–	S	S
TRANSMISSION								
6-Speed Automatic			S	S	S	S	–	–
8-Speed Automatic			–	–	–	–	S	S
AXLE RATIO								
3.08:1			S	S	S	S	–	–
3.23:1			–	–	–	–	S	S
3.42:1			A	A	A	A	–	–
CAPACITY								
GVWR (kg) ¹			3221	3311	3311	3402	3311	3402
Front GAWR (kg)			1452	1633	1588	1633	1633	1633
Rear GAWR (kg)			1860	1860	1905	1905	1950	1950
Max Payload (kg) ²			767	748	753	739	694	685
MAX TRAILERING								
Engine			5.3L EcoTec3	5.3L EcoTec3	5.3L EcoTec3	5.3L EcoTec3	6.2L EcoTec3	6.2L EcoTec3
Axle Ratio (4x2/4x4)			3.42	3.42	3.42	3.42	3.23	3.23
Maximum Trailer Weight (kg) ³			3856	3720	3765	3629	3674	3583
DIMENSIONS			YUKON		YUKON XL		YUKON DENALI	YUKON XL DENALI
Wheelbase (mm)			2946		3302		2946	3302
Overall Length (mm)			5179		5700		5179	5700
Overall Height (mm)			1890		1890		1890	1890
Body Width (mm)			2045		2045		2045	2045
Fuel Tank Capacity, litres (imp. gal.) (approx.)			98 (21.6)		117 (25.8)		98 (21.6)	117 (25.8)
Standard Wheels (in)			18		18		20	20


¹When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ²These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ³Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ⁴Cargo and load capacity limited by weight and distribution.

YUKON/YUKON DENALI



4x2 | 4x4

YUKON XL/YUKON XL DENALI



4x2 | 4x4

S = Standard A = Available -- = Not Available

			ACADIA	ACADIA/ACADIA DENALI
ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM	FWD	AWD
3.6L V6 DI VVT	281 @ 6300 (288 @ 6300 Denali)	266 @ 3400 (270 @ 3400 Denali)	S	S
TRANSMISSION				
6-Speed Automatic, Electronically Controlled with OD			S	S
AXLE RATIO				
3.16:1			S	S
CAPACITY				
GVWR (kg) ¹			2908	2930
Payload (kg) ²			642-796	567-730
MAX TRAILERING				
Engine			3.6L V6 DI VVT	3.6L V6 DI VVT
Axle Ratio			3.16	3.16
Maximum Trailer Weight (kg) ³			2359	2359
DIMENSIONS				
Wheelbase (mm)			3020	3020
Overall Length (mm)			5100	5100
Overall Height (mm) With Luggage Rack			1844	1844
Overall Width (mm) Without Mirrors			2004	2004
Fuel Tank Capacity, litres [imp. gal.] (approx.)			83 (18.3)	83 (18.3)
Standard Wheels (in)			18	18
Head Room (first row) (mm)			1024	1024
Leg Room (first row) (mm)			1049	1049
Shoulder Room (first row) (mm)			1565	1565
Hip Room (first row) (mm)			1473	1473
Cargo Volume Behind First Row (litres) ⁴			3288	3288
Cargo Volume Behind Second Row (litres) ⁴			1985	1985
Cargo Volume Behind Third Row (litres) ⁴			682	682


ACADIA/ACADIA DENALI



FWD | AWD

S = Standard A = Available -- = Not Available			TERRAIN		TERRAIN DENALI
ENGINE AVAILABILITY	SAE NET HP @ RPM	TORQUE (LB.-FT.) @ RPM	FWD	AWD	AWD
2.4L I-4 DI	182 @ 6700	172 @ 4900	S	S	S
3.6L V6 DI	301 @ 6500	272 @ 4800	A	A	A
TRANSMISSION					
6-Speed OD Automatic			S	S	S
AXLE RATIO					
2.77:1			A	–	–
3.23:1			S	–	–
3.39:1			–	A	A
3.53:1			–	S	S
CAPACITY					
Engine			2.4L I-4/3.6L V6	2.4L I-4/3.6L V6	2.4L I-4/3.6L V6
Drivetrain			FWD	AWD	AWD
GVWR (kg) ¹			2250/2359	2300/2404	2300/2404
Front GAWR (kg)			1175/1250	1175/1250	1175/1250
Rear GAWR (kg)			1240/1240	1240/1280	1240/1280
Base Payload (kg) ²			502/530	476/527	463/497
MAX TRAILERING					
Engine			2.4L I-4/3.6L V6	2.4L I-4/3.6L V6	2.4L I-4/3.6L V6
Axle Ratio			3.23/2.77	3.53/3.39	3.53/3.39
Maximum Trailer Weight (kg) ³			680/1588	680/1588	680/1588
DIMENSIONS					
Wheelbase (mm)			2858	2858	2858
Overall Length (mm)			4707	4707	4707
Overall Height (mm) Without Luggage Rack			1684	1684	1684
Overall Width (mm) Without Mirrors			1849	1849	1849
Fuel Tank Capacity, litres (imp. gal.) (I-4/V6) (approx.)			71 (15.6)/79 (17.4)	71 (15.6)/79 (17.4)	71 (15.6)/79 (17.4)
Head Room (first row) (mm)			1011	1011	1011
Leg Room (first row) (mm)			1046	1046	1046
Shoulder Room (first row) (mm)			1415	1415	1415
Hip Room (first row) (mm)			1400	1400	1400
Cargo Volume Behind First Row (litres) ⁴			1809	1809	1809
Cargo Volume Behind Second Row (litres) ⁴			895	895	895

TERRAIN/TERRAIN DENALI



FWD | AWD

¹When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ²These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the vehicle loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb. ³Before you buy a vehicle or use it for trailering, carefully review the trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ⁴Cargo and load capacity limited by weight and distribution.

GOOD FOR BUSINESS. Whether you need to meet company-wide environmental initiatives or government standards, GMC offers alternative fuels for Savana and Sierra HD. Savana's Compressed Natural Gas (CNG) and Liquefied Petroleum Gas (LPG) systems are designed for both low emissions and low operating costs. Sierra HD can be equipped with our CNG/Gasoline Bi-Fuel System, helping your organization reduce costs and environmental impact.

ALTERNATIVE FUELS AVAILABILITY (see your dealer for more details)

VEHICLE	CNG	CNG BI-FUEL	LPG	B20
Sierra	–	A	–	A
Savana	A	–	A	A
Canyon	–	–	–	A

A = Available – = Not Available

CNG Dedicated CNG systems are available on Savana Cargo/Passenger Vans and LPG fuel systems are available on Savana Cutaway models. CNG and LPG vehicles are equipped with a specially designed 6.0L Vortec engine built for gaseous fuel, along with an integrated and warranted dedicated gaseous fuel system in place.

3- OR 4-TANK SYSTEM CNG- and LPG-equipped Savanas can be outfitted with either a 3-tank or an extended-range 4-tank system. Both systems are designed to maximize efficiency while minimizing obtrusion in the cargo area.

BI-FUEL GAS/CNG SYSTEM Our proven 6.0L Vortec V8 forms the core of Sierra HD's CNG/Gasoline Bi-Fuel System (single-rear-wheel models only). The system is enhanced with hardened exhaust valves and intake/exhaust seats, an in-bed CNG tank and an extensively protected fuel system. Sierra also offers excellent payload capacity—helping businesses reduce costs and environmental impact. GMC's Limited Warranty covers the CNG fuel delivery and storage system, providing you with peace of mind that parts will be available to keep you on the road. See your dealer for details and model availability.



GMC ACCESSORIES

Helping you do your job even better. Customize your GMC to fit your business needs. Every one of our accessories lives up to the GMC name and helps you take on the challenges of your business.



GMC BUSINESS CHOICE

GMC Business Choice is an incentive program designed for business owners like you who rely on their vehicles for their day-to-day operations. It's available when you purchase or lease an eligible, new GMC vehicle, and it offers several options, including the GM Accessory or Upfit Cash Allowance.¹

For complete program requirements, including information regarding offers, vehicles, equipment, options, warranties and ordering information, consult with your GMC dealer, or visit gm.ca.

GMC BUSINESS CHOICE

¹To qualify, vehicle must be used in the day-to-day operations of your business and not solely for personal/non-business-related transportation purposes. Must provide proof of business. Not available with some other offers. For complete program requirements, including information regarding offers, vehicles, equipment, options, warranties and ordering, consult your GMC dealer.



GMC BUSINESS ELITE

Business Elite dealers provide you with a team of expert sales account specialists to help you select the right vehicles for the job. They stock a diverse lineup of vehicles that are ready for sale at a moment's notice. Plus, every Business Elite service department has the facilities, tools, equipment and certified technicians to help maintain your vehicle fleet.

GMC BUSINESS ELITE

Learn more about both of these programs at gm.ca.

FLEET SERVICES

YOU'RE THE BUSINESS, WE'RE THE DEALERSHIP In the coast-to-coast Business Elite network, each dealership is dedicated to helping you find the right vehicles for just about any job. They'll meet with you at your convenience. And every Business Elite dealership offers service facilities specialized to keep your work vehicles operating at peak performance and efficiency, helping you better serve your customers. Your Business Elite dealership has the widest selection of vehicles to fit your business needs, from the Sierra family of full-size pickups to the full line of Savana Vans, plus a wide range of work-ready vehicles to meet your needs. To find a Business Elite dealership near you, go to **GM.CA AND SELECT "FLEET" IN THE SITE MAP.**

IMPORTANT WORDS ABOUT THIS BROCHURE

PEACE OF MIND, STANDARD WITH EVERY GMC MODEL

When you build them with quality, you can back them with confidence. Program highlights include:

- 2-year/48,000 km Lube-Oil-Filter Maintenance¹
- 3-year/60,000 km New-Vehicle Limited Warranty²
- 5-year/160,000 km Powertrain Limited Warranty, with \$0 deductible on repairs and the warranty is fully transferable at no charge²
- 5-year/160,000 km Courtesy Transportation²
- 5-year/160,000 km 24/7 Roadside Assistance²
- 6-year/160,000 km rust-through perforation coverage²
- 8-year/130,000 km coverage on catalytic converters and Powertrain Control Modules (PCMs)²

OTHER OWNERSHIP PRIVILEGES AND PROGRAMS:³

- **GM Protection Plan (GMPP)**—The only extended service plan backed by the resources and commitment of General Motors, GMPP may be purchased at the time of sale or subsequently during the New-Vehicle Limited Warranty period.
- **Certified Service**—With GM-certified technicians and GM-approved parts, nobody knows your GM vehicle better.
- **GMC Owner Centre**—As an owner, take advantage of the GMC Owner Centre. This online owner's destination gives you access to coupons, contests, current offers and the latest driving and maintenance tips. Find out more at gmcowner.ca.

TO HELP YOU PURCHASE OR LEASE A NEW VEHICLE:

- **Purchase Financing and Leasing**—On-the-spot financing, see dealer for full details.⁴
- **GM Student Bonus Program**—Students or recent graduates of high school, college or university³ may be eligible to receive a Student Bonus vehicle redemption allowance of \$500 or \$750⁵ (tax inclusive) (purchased vehicle dependant) to use toward the purchase, lease or finance of one eligible new GMC vehicle.
- **GM Card**—Cardholders may redeem Earnings toward the total purchase price or lease down payment of an eligible new GMC truck, SUV or crossover. Restrictions and limitations apply.⁵ For full program details, visit gmc card.ca.

INFORMATION RESOURCES:

You can find more information about these programs from your GMC dealer, or at these information centres:

- The GM Web site at gm.ca
- The GM Customer Care Centre at **1-800-GM-DRIVE (1-800-463-7483 or 1-800-263-3830** for TDD users)

A WORD ABOUT THIS BROCHURE

Some of the equipment shown or described throughout this brochure may be available at extra cost. We have tried to make this brochure comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colours, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this brochure and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings and prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been adapted since the time of printing, please check with your GMC dealer for complete details. General Motors of Canada Company reserves the right to lengthen or shorten the model year for any product, for any reason, or to start and end model years at different times.

A WORD ABOUT ASSEMBLY

GMC vehicles are equipped with engines and components produced and assembled by different operating units of General Motors, its subsidiaries and suppliers to GM worldwide. We sometimes find it necessary to produce GMC vehicles with different or differently sourced components than originally scheduled. Since some options may be unavailable when your vehicle is assembled, we suggest that you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you.

TRADEMARKS

©2015 General Motors of Canada Company. All rights reserved. The marks appearing in this brochure, including but not limited to: General Motors, GM, GMC and their respective logos, emblems, slogans and vehicle model names and body designs; and other marks such as Vortec, Denali, Duramax and StabiliTrak are trademarks of General Motors and/or General Motors of Canada Company, its subsidiaries, affiliates or licensors. OnStar, the OnStar emblem and RemoteLink are registered trademarks of OnStar, LLC. The SiriusXM name and related logos are trademarks of SiriusXM Canada, Canadian Satellite Radio, Inc. Apple and iPhone are registered trademarks of Apple, Inc. Apple CarPlay is a trademark of Apple, Inc. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Bose is a registered trademark of the Bose Corporation. Facebook is a registered trademark of Facebook, Inc. Wi-Fi is a registered trademark of Wi-Fi Alliance.

¹Limit of four complimentary Lube-Oil-Filter services in total. Fluid top-offs, inspections, tire rotations, wheel alignments and balancing, etc., are not covered. Conditions and limitations apply. See your dealer for details. ²Whichever comes first. Conditions and limitations apply, see dealer for details. ³Conditions and limitations apply. ⁴Subject to eligibility. ⁵Program subject to change.

VISIT US AT GM.CA



[FACEBOOK.COM/GMCCANADA](https://www.facebook.com/gmccanada)

