


A still better car



SAAB-93






The practical and ample instrumentation, the excellent steering qualities, the good visibility and the comfortable driving position add to the pleasure of driving the Saab-93.

SAAB-93

quality-precision




By removing the rear back rest and seat cushion and fitting a parcel outfit, the car can be transformed into a utility car in a few minutes.





The Saab-93 is the ideal car for vacation trips with the whole family. Reduce your travelling expenses and sleep in the Saab-93.

elegance

The strong and well dimensioned steel body is an example of Swedish quality in its best meaning, giving the driver and passengers the best possible safety. The carefully adjusted steering, the outstanding road holding characteristics, the synchronization of the gear box, etc. are the results of the highest precision in design and production. The modern sweeping streamline shape, the beautiful colours and the smart interior equipment give elegance to the Saab-93.



The engine, placed longitudinally, is of the three-cylinder, two-stroke type with water cooling and fitted, among other things, with distributor, circulation pump, thermostat and fan. Engine, clutch, gear box, and differential are combined in a single unit which can easily be lifted out of the car.



The suspension is an entirely new design giving increased comfort to the driver and the passengers and outstanding road holding characteristics. By using rubber mounts and supporting the springs in special rubber cushions, the number of lubrication points has been reduced to a minimum. The Saab-93 is equipped with tubeless tyres.

TECHNICAL DATA

Type: SAAB-93

Body: Saloon, 2 doors, self-supporting steel body.

Engine: Three-cylinder, two-stroke engine with water cooling. Cylinder volume: 748 c.c. Bore: 66 mm. Stroke: 72.9 mm. Compression ratio: 7.3 to 1. Net output according to DIN: 33 HP at 4200 r.p.m. Gross output according to SAE: 38 HP at 5000 r.p.m.

Gear box: Three forward speeds and one reverse. Synchronization between second and third speed. Free wheel, which can be locked from the driver's seat.

Fuel system: Down-draught carburettor. Electric fuel pump. The fuel tank is fitted at the rear of the car. Capacity: 36 litres (8 Imp. gallons).

Cooling system: Water cooling with pump circulation. Fan, thermostat. Capacity: 6.5 litres (1 1/2 Imp. gallons).

Suspension: Coil springs, transverse links mounted in rubber, telescopic shock absorbers, stabilizer bar.

Brake system: Hydraulic foot brake operating on all four wheels. Mechanic hand brake.

Tyres: Tubeless tyres 5.00 x 15".

Electrical equipment: Voltage: 12 volts.

Exhaust system: Silencers at the front and the rear of the car.

Steering: Type: rack and pinion. Gear ratio 14:1.

Dimensions and weights:

Overall length over bumpers	13' 2"	4010 mm
Overall width	5' 2"	1570 "
Overall height, empty	4' 10"	1470 "
Ground clearance, with service weight of 1960 lbs. (890 kilos)	about 7 1/2"	190 "
Track, front and rear	4' 4"	1220 "
Wheelbase	8' 2"	2488 "
Turning radius	18'	5.5 mm
Weight empty (without fuel and water)	1735 lbs.	787 kg
Weight empty (with fuel, water, tools and spare wheel)	1806 "	820 "
Luggage space	12 cu. ft.	300 dm ³



SVENSKA AEROPLAN AB

LINKÖPING — TROLLHÄTTAN
SWEDEN

SAAB MOTORS INC.
130 WEST 57TH STREET
NEW YORK 19, N. Y.
PLAZA 7-5955

SAAB MOTORS INC.
130 WEST 57TH STREET
NEW YORK 19, N. Y.
PLAZA 7-5955